400 Seventh Street, S.W. Washington, D.C. 20590



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU <u>90</u> CASE NO. 6

TYPE OF ACCIDENT AR PESESTRIAN

TRIAN Krossing Road Straight

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Popular #1 WAS TRAVELING SOUTH ON THE

ROAD. PedesTRIAN#1 WAS RUNNING ACCOUNT ON THE

ROAD.

The Right front Fender of Vehicle#1 CON
THETE PEDESTRIAN #1 ON CEFT 1/1, DY BUTTOCK. The

PedesTRIAN WAS THEN ROTATED Upon The Hood,

AND FELL TO Ground. PEDESTRIAN CAME TO

AND FELL TO GROUND SINCE FROM POINT OF IMPACT.

REST APPROXIMATELY 5 METERS From POINT OF IMPACT.

Vehicle #1 Emmediately STopped Prior To FINAL

Vehicle #1 Emmediately STopped Prior To FINAL

B. PEDESTRIAN PROFILE										
Pedestrian			Treatment/		Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source			
01	13	MALE	Transporte Released	Extremity	5 Kin- Other	1	Right Front Fender			

Body Region Type of Anatomic Structure

Head Whole Area Face Vessels Throat Nerves Chest Organs Abdomen/Pelvis Skeletal Soine Head-LOC Upper Extremity Skin-Burn Lower Extremity Skin-Other

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

C. VEHICLE PROFILE Most Severe Damage Based on Vehicle Inspection Vehicle No. Vehicle No. Vehicle Of Vehicle

DO NOT SANITIZE THIS FORM

External



U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

N

National Highway Traffic Safety


NATIONAL ACCIDENT SAMPLASYSTEM
PEDESTRIAN CRASH

Administration	1 1.01		COLLEGE NEW STOP
PSU No. 90 Case Number—Stratum 619P		Indicate North	
[4]			
			· ·
ped turned	:		
awey from	:		
moment 000 0 VI			:
(R.P.)UT.LITYPOLE ED			· :
R.L.			:
		·	. :
Sidewalk =	>5;d	empl	اک
		· :	
			and the second s
	- - -	:	
	1		



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM



J.S. Department of Transportation

National Highway Traffic Safety

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration Case Number-Stratum 6 Р Primary Sampling Unit Number PEDESTRIAN/ACCIDENT COLLISION DATA/COLLECTION SCALED DIAGRAM document reference point and reference line relative to physical features: north arrow placed on diagram documentation of all accident induced physicals grade measurements for all applicable evidence/including/(if applicable)។ 🖖 🤻 roadways scaled representations of the physical plant including: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane pedestrian contacts with ground or object markings, medians, pavement markings, parked vehicles, poles, signs, Grade (v/h) Measurements etc.) c) vehicle/pedestrian point of impact (POI) a) at impact b) all traffic controls (e.g., lights, signs) b) between impact and scaled representations of the vehicle and d) location of pedestrian separation point from vehicle pedestrian at pre-impact, impact, and final vehicle rest based upon either: final resting points (ERP) for pedestrian and Pedestrian Travel Direction physical evidence, or documentation of the physical plant including: Vehicle Travel Direction reconstructed accident dynamics a) altroad/roadway delineation/(e.g., Number of Travel Lanes crosswalks, curb/edge lines, lane markings. medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights: signs) West Curb Reference Point: Reference Line: Distance and Direction Distance and Direction Item from Reference Point from Reference Line SCRRC acciden 900

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	HOITI Neletence Foint	HOITI Neierence Line
,		
		·
		•
	:	

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	ρ	SPECIAL STUDIES - INDICATORS
1. Primary Sampling Unit Number $\underline{\psi}$		
2. Case Number - Stratum 6 1	<u>9 p</u>	Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.
IDENTIFICATION		studies and the the spesial studies het chesked.
3. Number of General Vehicle	0 4	6SS15 Administrative Use0
Forms Submitted	0_1	7. <u>✓ SS16 Pedestrian Crash Data Study 1</u>
4. Date of Accident (Month, Day, Year)	9 4	8SS17 Impact Fires0
5. Time of Accident	<u>6</u>	9SS18
Code reported military time of accident. NOTE: Midnight = 2400		10SS19 <u>0</u>
Unknown = 9999		NUMBER OF EVENTS
•		11. Number of Recorded Events in This Accident

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

	PEDESTRIAN ACCIDENT EVENTS										
-	Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
	12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>0</u> <u>[</u>	15. <u>R</u>	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety Administration

1.	Primary Sampling Unit Number <u>9</u> 0	10t Pedestrian's Weight Code actual weight to the nearest
2.	Case Number - Stratum 6 1 9 P	kilogram. (999) Unknown
3.	Pedestrian Number <u>0 1</u>	087 pounds x .4536 = 394 kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6.	Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle
7.	Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown I inches X 2.54 = H centimeters	(00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel
8.	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9.	$33_{\text{inches } \times 2.54 = 0.95_{\text{centimeters}}}$ Pedestrian's Height - Ground to Shoulder $1.23_{\text{centimeter}}$ Code to the nearest centimeter. (999) Unknown $45_{\text{inches } \times 2.54 = 1.23_{\text{centimeters}}}$	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
I EBESTRIAN STATISTICAL	18. Pedestrian's Arm Orientation
	at Initial Impact
\sim /	(01) At sides
15. Pedestrian's First Avoidance Actions $U \varphi$	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
	(05) Hands in pockets One or both arms:
(03) Ran away (along vehicle path)	One on both come:
(04) Jumped	
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(00)	
	19. Pedestrian's Leg Orientation
	at Initial Impact <u>04</u>
	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
16. Pedestrian's Head Orientation	(05) Apart- forward leg unknown
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	n 1
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
(9) OTIKITOWIT	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
47. Dedectricale Dedu (Object) Origination	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside -
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

esta de	OFFICIAL RECORDS		INJURY CONSEQUENCES
	Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown Alcohol Test Result For Pedestrian	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident
~	Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given		(9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
	Source: PAR		Nonfatal (3) Hospitalization
23.	Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	2	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
	` '		27. Type Of Medical Facility (for Initial Treatment)
24.	Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen,	<u>Q</u> _	(0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
			28. Hospital Stay <u>O</u> <u>O</u>
			(00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
			29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (specify units): (9) Unknown if blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	

Administration

Form Approved O.M.B. No. 2127-0021

PEDESTRIAN INJURY FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

		AIS-90							Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. <u>Z</u>	6. <u>8</u>	7. <u>9</u>	8. <u>04</u>	9. <u>0 2</u>	-10. <u> </u>	1,2	12.748) _{13.} <u>/</u>	14	15	16. <u>3</u>	17.4
2nd	18. 3	19.8	20. <u>9</u>	21.0 2	22.02	−23 . <u> </u>	ر 242	- _{25.} 740) _{26.}]	27	28. 2	- _{29.} <u>3</u>	30. <u> </u>
3rd	31. <u>3</u>	32. <u>7</u>	33. <u>9</u>	34 <u>0</u> 4	35. <u>0</u> 2	~ 36. <u>}</u>	_{37.} _2	- _{38.} 7 <u>7</u> 0	2 _{39.}	40	41. 2	42	· <u>2</u> 43. <u> </u>
4th	44. <u>3</u>	45. <u>7</u>	46. <u>9</u>	47. <u>0</u> <u>Z</u>	48.02	- 49.]_	502	-51. <u>7</u> 70	2 _{52.} <u>∫</u>	53.	54. 2	- _{55.} <u>2</u>	_ ₅₆
5th	57. <u>7</u>	58. <u>/</u>	59. <u></u>	60. <u>04</u>	61. <u>0 2</u>	62. 1	63. 1	64. <u>775</u>	65.2	66	67.2	68. <u>/</u>	69. 1
6th	70	71	72	73	74:	75:	76	77	78:	79	80	81	82
7 1 h	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	_ 104	105	105	107	108
9th	109	110	111	112	113	114	115	116	_ 117	118	119	120	121
10th	122	123	124	125	126	127	128	129	_ 130	131	132	133	134


HS Form 0435I (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1th					_	_		_			_	
2th					_	_					-	
3th 4th												
5th												
6th											_	
7th						•						
8th 9th												
Oth												
1st			<u> </u>		_	—		_	_	-	-	
2nd 3rd					<u></u>	_		_	-		_	
4th												

and the second of the second o

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Certain Probable (2) No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown Dent (2) Hospital/medical records other than Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency (9) Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Injury not from vehicle contact No residual damage UNOFFICIAL (1) (5) Lay coroner report Surface only damage Rounded (contoured) (6) E.M.S. personnel Crush depth >0 to 2 centimeters Rounded edge Interviewee Crush depth >2 to 5 centimeters Crush depth >5 to 10 centimeters (5) Sharp edge (8) Other source (specify): Other (specify): Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Specific Anatomic Structure Abbreviated Injury Scale **Body Region** Spine (02) Cervical (04) Thoracic Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury (06) Lumbar Face (2) Moderate injury Serious injury (3) Neck Skin - Laceration (06) Vessels, Nerves, Organs, Bones, Joints Severe injury Thorax (4) Critical injury (08) Skin - Avulsion are assigned consecutive two digit (5) (5) Abdomen Maximum (untreatable) Injured, unknown severity (6) (7) (10) Amoutation numbers beginning with 02 Spine Upper Extremity (20) Burn 171 Lower Extremity (30) Level of Injury Crush (8)Unspecified (40) Degloving Aspect (50) Injury - NFS (90) Trauma, other than mechanical injuries are ve two-digit Specific assigned are Type of Anatomic Structure consecutive numbers Right beginning with 02. Whole Area Head - LOC (O2) Length of LOC (3) (4) Bilateral Central To the extent possible, within the (2) Vesseis (04, 06, 08) Level of Consciousness organizational framework of the AIS, 00 Anterior Nerves is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic Organs (includes muscles/ (10) Concussion (6) (7) **Posterior** Superior ligaments) Skeletal (includes joints) (5) Inferior Head - LOC structure. 99 is assigned to any injury Unknown NFS as to lesion or severity. Whole region **INJURY SOURCE** Wheels / tires FRONT 744 B pillar 790 Left front wheel / tire 700 Front bumper 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 746 D pillar 792 Left rear wheel / tire 702 Front grille 748 Other pillar (specify): 793 Right rear wheel /tire 703 Hood edge and/or trim 749 Right side roof rail 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 750 Right side door surface 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components 720 Front fender side surface (specify): 806 Catalytic converter 759 Unknown right side component 721 Front antenna 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar 809 Fuel tank **Back Components** 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 768 Other back component 819 Unknown undercarriage component 728 Other pillar (specify): (specify): 769 Unknown back component 729 Left side roof rail <u>Accessories</u> 820 Air scoop, deflector 821 Cellular or CB radio antenna 730 Left side door surface 731 Left side door handle Top Components 822 Emergency lights or bar 732 Left side mirror fixed housing 770 Hood surface 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar Front fender top surface 825 Cargo (specify):_ 773 Cowl area 736 Left side back fender or quarter panel 826 Spare tire 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 779 Rear header 948 Other object (specify): Right Side Components 780 Hatchback 949 Unknown object in environment 740 Front fender side surface

781 Rear trunk lid

788 Other top component (specify): _

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

SOURCE OF INJURY DATA

OFFICIAL

741 Front antenna

742 A1 pillar

743 A2 pillar

TYPE OF DAMAGE

(0) Injury not from vehicle contact

959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

١

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL = ____

Glasgow Coma Scale Score

gcss = /5

Units of Blood Given

Units = ____


Arterial Blood Gases


Ph = __._

PO₂ = ____

PCO₂

HCO₃







National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





National Highway Traffic Safety Administration	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Num	nber <u>Q</u> D	OFFICIAL RECORDS
2. Case Number - Stratum	6 1 9 P	9. Police Reported Travel Speed 4
3. Vehicle Number	0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)
	in your n, Coding and $\frac{93}{03}$	Code to the nearest kmph (NOTE: 000 means
8. Vehicle Identification Number 12 12 1 2 3 4 5 6 7 8 9 10 Left justify; Slash zeros and No VIN—Code all zeros Unknown—Code all nines	11 12 13 14 15 16 17	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown 14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown DJ, DJ lbs x .4536 = 1, 180 kgs	Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source. 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms	(19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA
OTHER DATA	21. Driver's Attention to Driving
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance	(Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)) (88) Animal approaching roadway
(specify):	(89) Animal-unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction (54) In crossover	(11) Accelerating and steering left
(55) Backing	(12) Accelerating and steering right (98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	
in lane	(99) OHNIOWH
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally counterclockwise rotation(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	(o) Troordon occasiney arminoven
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated (4) Vehicle stayed on roadway, not known if left
unknown	travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRON	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic)		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing)
	 (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 	X	(2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown		controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	7	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown


90 -619 93 Ce/10W 13 / 0 m 24 YOF Li- Lubbon L'bittock h,p 85 cm f = 0,65 POI to FRP = 1.5 m = 4.9 ft = 14.4 1P6 = 9.8 mph = 15.7 KPh

U.S. Department	of Transportation
National Highway	Traffic Safety

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 2. Case Number - Stratum 6 1 9 P	3. Vehicle Number 0 1
VEHICLE IDE	NTIFICATION
VEHICLE IDEI	MIFICATION
VIN JTJAT86F3PB	Model Year 93 Vehicle Model (specify): Ceclia
Vehicle Make (specify): ToyoTA	Vehicle Model (specify):
PEDESTRIAN FRONT CO	ONTACT WORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
PEV14 Front Bumper Cover Material	
PEV15 Front Bumper Reinforcement Material	
VERTICAL MEA	ASUBEMENTS
PEV16 Front Bumper-Bottom Height	cm
PEV17 Front Bumper-Top Height	cm
PEV18 Forward Hood Opening	cm
PEV19 Front Bumper Lead	cm
WPA P. DIS	PTANCES
WRAP DIS	TANCES
PEV20 Ground to Forward Hood Opening	cm
PEV21 Ground to Front/Top Transition Point	cm
PEV22 Ground to Rear Hood Opening	cm
PEV23 Grøund to Base of Windshield	cm
PEV24 Ground to Top of Windshield	cm
PEX 25 Ground to Head Contact	cm

VEHICLE DAMAGE SKETCH



OTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axies) from the ground: $\angle 5Z_{\text{cm}}$

PEDESTRIAN SIDI	E CONTACT WORK SHEET
PEV06 Hood Material PEV08 Hood Length PEV09 Hood Width-Forward Opening PEV10 Hood Width-Midway PEV11 Hood Width-Rear Opening	5TEEL 275 cm 136 cm 136 cm
VERTICA	L MEASUREMENTS
PEV26 Ground Clearance PEV27 Side Bumper-Bottom Height PEV28 Side Bumper-Top Height PEV29 Centerline of Wheel PEV30 Top of Tire PEV31 Top of Wheel Well Opening PEV32 Bottom of A-Pillar at Windshield PEV33 Top of A-Pillar at Windshield PEV34 Top of Side View Mirror	$\frac{028}{028}$ cm $\frac{055}{055}$ cm $\frac{057}{057}$ cm $\frac{053}{057}$ cm $\frac{146}{057}$ cm $\frac{146}{057}$ cm $\frac{146}{057}$ cm
LATERA	L MEASUREMENTS
LATERA	L WEASONEWEW 13
PEV35 C _L to A-Pillar at Bottom of Windshield PEV36 C _L to A-Pillar at Top of Windshield PEV37 C _L to Maximum Side View Mirror Protrus	073 cm 062 cm 094 cm
WR	AP DISTANCES
PEV38 Ground to Side/Top Transition PEV39 Ground to Hood Edge PEV40 Ground to Centerline of Hood (ORIGIN) PEV41 Ground to Head Contact	$090 \frac{081}{020} \text{ cm}$ 157 cm $N/A \text{ cm}$

ORIGINAL SPECIFICATIONS

Wheelbase	099.4 inches	x 2.54 =	$\frac{2}{5}$ $\frac{5}{2}$ cm
Overall Length	1760 inches	x 2.54 =	<u>4 4 7 cm</u>
Maximum Width 46	067.1 inches	x 2.54 =	1 7 0 cm
Curb Weight $ u$	2.674 pounds	x .4536 =	1.2 1 3 kg
Average Track	057.2 inches	x 2.54 =	<u>1 4 5 cm</u>
Front Overhang	039.7 inches	x 2.54 =	<u>/ 0 /</u> cm
Rear Overhang	034.2 inches	x 2.54 =	<i>OB</i> 7 cm
Undeformed End Width	inches	x 2.54 =	N/A cm
Engine Size: cyl./displ.	<u> </u>	x .001 =	<u> </u>
	97.5 CID	x .0164 =	<u> 1.6</u> L

	INJURY SOURCE	
FRONT		Wheels / tires
'00 Front bumper	744 B pillar	790 Left front wheel / tire
01 Front lower valance/spoiler	745 C pillar	791 Right front wheel / tire
02 Front grille	746 D pillar	792 Left rear wheel / tire
'03 Hood edge and/or trim	748 Other pillar (specify):	793 Right rear wheel /tire
04 Hood ornament (fixed)	749 Right side roof rail	798 Other wheel / tire (specify):
05 Hood ornament (spring loaded)	750 Right side door surface	799 Unknown wheel / tire
06 Headlight	751 Right side door handle	
07 Retractable headlight door (Open/Closed)	752 Right side mirror fixed housing	Undercarriage components
08 Turn signal/parking lights	753 Right side folding mirror	800 Front cross member
18 Other front or add on object	754 Right side glazing forward of B pillar	801 Steering assembly/Front suspension
(specify):	755 Right side glazing rearward of B pillar	802 Oil pan
19 Unknown front object	756 Rear antenna	803 Exhaust system pipe
	757 Rear fender or quarter panel	804 Transmission
eft Side Components	758 Other right side object	805 Drive shaft
20 Front fender side surface	(specify):	806 Catalytic converter
21 Front antenna	759 Unknown right side component	807 Muffler
22 A1 pillar		808 Floor pan
23 A2 pillar	Back Components	809 Fuel tank
24 B pillar	760 Rear (back) bumper	810 Rear suspension
25 C pillar	761 Tailgate	818 Other undercarriage component
26 D pillar	762 Hatchback, vertical surface	(specify):
28 Other pillar	768 Other back component	819 Unknown undercarriage component
(specify):	(specify):	
29 Left side roof rail	769 Unknown back component	Accessories
30 Left side door surface		820 Air scoop, deflector
31 Left side door handle	Top Components	821 Cellular or CB radio antenna
32 Left side mirror fixed housing	770 Hood surface	822 Emergency lights or bar
33 Left side folding mirror	771 Hood surface reinforced by under hood	823 Fog lights
34 Left side glazing forward of B pillar	component	824 Luggage, ski, or bike rack
35 Left side glazing rearward of B pillar	772 Front fender top surface	825 Cargo (specify):
36 Left side back fender or quarter panel	773 Cowl area	826 Spare tire
37 Rear antenna	774 Wiper blade & mountings	827 Spotlight
38 Other left side object	775 Windshield glazing	828 Other accessory (specify):
(specify):	776 Front header	
39 Unknown left side component	777 Roof surface	Other Object or Vehicle in Environment
	778 Backlight glazing	947 Ground
ight Side Components	779 Rear header	948 Other object (specify):
40 Front fender side surface	780 Hatchback	949 Unknown object in environment
41 Front antenna	781 Rear trunk lid	959 Unknown object on contacting vehicle
'42 A1 pillar	788 Other top component (specify):	_ 997 Noncontact injury source
743 A2 pillar	789 Unknown top component	999 Unknown injury source



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground

AV

n Bustesa

						RIAN CONTA			
	CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
1	F	Fender	740	4//3	3cm	npper Theigh	LARGE	2 3 9	1
4	乃	Fender	+28	+87	3em	HIP'	4122 <u>4</u>	7 2 3 9	1
	D	Fender	455	+91	3cm	Hip	LARGE deNT	<u>(1)</u> 2 3 9	· /
\int	K	Hood	+66	+57	0	Aems	Smudges Swatches	(1) 2 3 8	3 -
V	<u>C</u>	Hood	+25	+47	0	HANGS ARMS	Scratches	2 3 9	2
1	6	Fige	-43	<u> +74</u>	0	Chest	smudges	①2 1 8	2
\checkmark	り、	HOOLE	-×235	+ 7636	0	Chest	Scrniches	1 2 3 9	2
4	כיו	Hood	<u> - 29 </u>	+ 37	0	Chest	~	O 2 3 9	3 -
٧	E	Hood	-07	+48	-60	Chesi	Scratche	2 3 9	-2
								1 2 3 9	
								1 2 3 9	
								1 2 3 8	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
·								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	

POINTS OF PEDESTRIAN CONTACT

CONTACT CONTACTED LOCATION LOCATION LOCATION IN SUSPECTED SUPPORTING PHYSICAL EVIDENCE 1 740 *30 *76 3 Lihip denting supporting physical evidence 2 740 *30 *76 3 Lihip denting supporting physical evidence 3 6 770 *50 *76 3 Lihip denting supporting physical evidence 4 7 7 0 *50 *76 3 Lihip denting supporting physical evidence 5 770 *50 *76 3 Lihip denting supporting physical evidence Contact Country supporting physical evidence Supporting physica	
1 2 740 +30 +76 3 11 11	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1 2 740 +30 +76 3 11 11	O 2 3 9
36 770 =07 +48 0 L-elbow 5m-4se 45 770 -35 +36 0 L-elbow 5m-4se 65 770 -35 +36 0 L-elbow 5m-4se	() 2 3 3
15 770 -35 +36 0 Lielhow 5 mm 42	1 2 3 9
I - DOS LOO O K. Side	△ 2 3 8
5 775 -60 +50 0 K.3126 none Four L	1 2 3 9
7	1 2 3 9
E	1 2 3 8
9 3D	1 2 3 9
11	1 2 3 9
12	1 2 3 9
13	1 2 3 9
15 16	1 2 3 9 1 Z 3 9
17	1 2 3 9
18	1 2 3 9
19 20	1 2 3 9
21 222	1 2 3 9
23	1 2 3 9
25	1 2 3 9

	<u> </u>
VEHICLE DIMENSIONS	11. Hood Width Rear Opening / 3 6
4. Original Wheelbase 2 5 2	Code to the nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter (999) Unknown	(999) Unknown
_ •	$0.53.5$ inches $\times 2.54 = 135.8$ centimeters
099.4 inches $\times 2.54 = 252.4$ centimeters	
5. Original Average Track Width <u>1</u> 45	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
$0.57.0$ inches $\times 2.54 = 144.7$ centimeters	(3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters)
U D I U inches X 2.54 = 4 centimeters	(8) Damage present, unknown if damage is from
7	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged
(5) Stainless Steel(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
<i>,</i>	damaged (4) Unknown if contacted by pedestrian -
7. Hood Original/_ Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
1 2 L	Front Vertical Measurements:
8. Hood Length	_
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact (1) Plastic
(999) Unknown	(2) Fiberglass
048.9 inches $\times 2.54 = 13.9$ centimeter	(3) Rubber
	(4) Other (specify): (9) Unknown
9. Hood Width Forward Opening 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
nearest centimeter	15. Front Bumper Reinforcement Material (0) No front contact
(210) 210 centimeters or more (999) Unknown	(1) Steel
	(2) Aluminum
029.5 inches X 2.54 = 14.9 centimeters	(3) Stainless Steel (4) Other (specify):
10. Hood Width Midway	(9) Unknown
Code to the	$\mathcal{D} = \mathcal{D} = $
nearest centimeter	16. Front Bumper-Bottom Height Code to the
(210) 210 centimeters or more (999) Unknown	nearest centimeter
	(000) No front contact
053.5 inches $\times 2.54 = 15.8$ centimeters	(150) 150 centimeters or more (999) Unknown
	inches X 2.54 = centimeters
	inches V 2 E4 continuetors

^ ^ ^	
17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =
(30) 30 centimeters or more (99) Unknown	(998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening OOO Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters 21. Ground to Front/Top Transition Point OOO Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters 22. Ground to Rear Hood Opening	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown Code to the nearest centimeter Code to the nearest centimeter (000) No side contact (150) 150 centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown Code to the nearest centimeters or more (999) Unknown

0.0	
29. Centerline of Wheel Code to the	Side Lateral Measurements
nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown O I I . O inches x 2.54 = O J . 9 centimeters	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more
30. Top of Tire Code to the nearest centimeter (000) No side contact	(999) Unknown
(200) No side contact (200) 200 centimeters or more (999) Unknown $ \underbrace{0 \ \mathcal{J}}_{\text{inches}} \ X \ 2.54 = \underbrace{0 \ 56 \ \mathcal{I}}_{\text{centimeters}} $	36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter (000) No side contact
31. Top of Wheel Well Opening Code to the nearest centimeter (000) No side contact	(250) 250 contimators or more
(250) 250 centimeters or more (999) Unknown $ 0 14 \cdot 15 = 00119 $ centimeters	37. Centerline to Maximum Side View Mirror Protrusion Code to the nearest centimeter
32. Bottom of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown	(000) No side contact (300) 300 centimeters or more
$Q29$. $\underline{1}$ inches $\times 2.54 = \underline{073.9}$ centimeters	Side Wrap Distance Measurements
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 222 Linches x 2.54 = 256.8 centimeters	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = 080. Tentimeters
34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown 3 9 inches x 2.54 = 2967 centimeters	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown

National Accident Samplin	g System-Crashworthiness	Data System:	Pedestrian Exterior	r Vehicle Form
---------------------------	--------------------------	--------------	---------------------	----------------

40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown Old 1. Sinches x 2.54 = 1.5 (2) centimeters	
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown inches X 2.54 = centimeters	
•	
·	



9600000000 000000000000000 01 90619P00010012 969.0010000000000101R72000 9.00 0000000001311544608512303913011061306040709600242009715 90619P00010021 10100000000005 9.00 00000000038904021274011234 90619P00010131 90619P00010231 9.00 00000000038902021274011234 90619P00010331 9.00 00000000037904021277011222 90619P00010431 9.00 00000000037902021277011222 9.00 00000000071904021177521211 90619P00010531 90619P01000041 9.00 00000000964903302JT2AT86F3P0 99905609600118000001 61110180022201411210011

00610001000051

PSU90 CASE 619P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

/96

	MBER OF LLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	O	Y
Pedestrian Assessment	Ō	O	Ö	Y
Pedestrian Injury	0	O	0	Υ
Pedestrian General Vehicle	O	O v	0	Υ
Pedestrian Exterior Vehicle	0	О	O	Υ
Total Inter Errors		0	O	
Total Case Errors	0	0	O	